

PACKAGED PUMP STATIONS

The REEFE Packaged Pump Stations are carefully designed and specified to suit the customers requirements. The complete range of REEFE Vortex, Grinder, Cutter & Drainage Pumps are carefully selected to meet the 'required duty' as specified for each project. When a duty is not specified, all the necessary friction loss and velocity calculations are completed, based on the information provided, to ensure years of hassle free pumping. The quality of all the componentry included in the REEFE Pump Stations ensures that you can save time, giving absolute confidence at time of installation on site.

POLY PUMP WELLS

Polyethylene pump wells are strong, lightweight and UV resistant rotomoulded tanks. Suitable for above ground usage providing they are stabilised or tied down.

All tanks are engineered to Australian standard AS 1546, approved by NSW Health, and covered by a 5yr warranty.

Available in sizes from 250L - 5000L.



ACCESS COVERS

A large range of access covers and grates available for every location from domestic backyards to highways and airports. See page 66 for more information.

CONTROL PANELS

A complete range of controllers from a simple high level alarm to triplex pump controllers as well as SMS alarm senders, BMS integration and other customised options.

PUMPS

Wide range of pumps for commercial and domestic applications for stormwater, sewage and greywater. We offer single, dual and triplex options in both single phase and 3 phase options.

POLY PUMP WELLS

Polyethylene pump wells are strong, lightweight and UV resistant rotomoulded tanks.

All tanks are engineered to Australian standard AS 1546, approved by NSW Health, and covered by a 5 year warranty.

250L POLY PUMP WELL 22 KG	700L POLY PUMP WELL 36 KG	1200L POLY PUMP WELL 70 KG	1600L POLY PUMP WELL 130 KG
Code: 13144 Access Opening: 600x600	Code: 13168 Access Opening: 600x600	Code: 13175 Access Opening: 600x600	Code: 25857 Access Opening: 600x600
			
2000L POLY PUMP WELL 190 KG	3000L POLY PUMP WELL 245 KG	5000L POLY PUMP WELL 370 KG	
Code: 25864 Access Opening: 600x600	Code: 25338 Access Opening: 600x900	Code: 13205 Access Opening: 600x900	
			

NOTE: The Pump Wells and the Access Covers are sold separately. Please advise which type of Access Cover is required.


CONTROLLERS, FLOATS & PROBES

HIGH LEVEL ALARMS

Refer page 112



OUTDOOR



INDOOR



BATTERY BACKUP & SOLAR

COMPAKT SINGLE & DUAL PUMP CONTROLLER

Refer page 114

- Single 0.1 - 16 Amps
- Dual 0.1 - 16 Amps
- 240V only
- Outer door only
- Up to 4 floats



COMMERCIAL SINGLE & DUAL PUMP CONTROLLER

Refer page 115

- Single and dual options
- 240V or 415V
- Inner door or outer door
- Up to 4 floats



OUTER DOOR




INNER DOOR

CUSTOMISED PUMP CONTROLLERS

Refer page 116

- Triplex pump controller
- Advanced pump controller
- BMS module
- Remote status indicator
- SMS alarm sender



FLOATS & PROBES

Refer page 118

- Wide range of floats and probes
- Available in various lengths from 5m to 30m
- Longer lengths available upon request



FLOAT



HYDRAULIC TRANSDUCER



COUNTERWEIGHT

PACKAGED PUMP STATIONS DRAINAGE

PUMPS & CONTROLLERS				PUMP WELLS - USE THESE CODES ON YOUR QUOTE REQUEST						
PUMPS	VOLTS	SINGLE / DUAL PUMPS	CONTROLLERS	250L	700L	1200L	1600L	2000L	3000L	5000L
RDP075 (Page 48)	240V	Single Pump	High Level Alarm	P25S-D75H	P7S-D75H	P12S-D75H	P16S-D75H	P20S-D75H	P3S-D75H	P5S-D75H
	240V	Single Pump	Single Pump	P25S-D75	P7S-D75	P12S-D75	P16S-D75	P20S-D75	P3S-D75	P5S-D75
	240V	Dual Pumps	Dual Pump	-	P7D-D75	P12D-D75	P16D-D75	P20D-D75	P3D-D75	P5D-D75
RDP150 (Page 48)	240V	Single Pump	High Level Alarm	P25S-D15H	P7S-D15H	P12S-D15H	P16S-D15H	P20S-D15H	P3S-D15H	P5S-D15H
	240V	Single Pump	Single Pump	P25S-D15	P7S-D15	P12S-D15	P16S-D15	P20S-D15	P3S-D15	P5S-D15
	240V	Dual Pumps	Dual Pump	-	P7D-D15	P12D-D15	P16D-D15	P20D-D15	P3D-D15	P5D-D15
RDP150.3 (Page 48)	415V	Single Pump	Single Pump	P25S-D15.3	P7S-D15.3	P12S-D15.3	P16S-D15.3	P20S-D15.3	P3S-D15.3	P5S-D15.3
	415V	Dual Pumps	Dual Pump	-	P7D-D15.3	P12D-D15.3	P16D-D15.3	P20D-D15.3	P3D-D15.3	P5D-D15.3
RDP228 (Page 48)	415V	Single Pump	Single Pump	P25S-D28	P7S-D28	P12S-D28	P16S-D28	P20S-D28	P3S-D28	P5S-D28
	415V	Dual Pumps	Dual Pump	-	P7D-D28	P12D-D28	P16D-D28	P20D-D28	P3D-D28	P5D-D28
RDP370 (Page 48)	415V	Single Pump	Single Pump	P25S-D37	P7S-D37	P12S-D37	P16S-D37	P20S-D37	P3S-D37	P5S-D37
	415V	Dual Pumps	Dual Pump	-	P7D-D37	P12D-D37	P16D-D37	P20D-D37	P3D-D37	P5D-D37
RDP550 (Page 48)	415V	Single Pump	Single Pump	P25S-D55	P7S-D55	P12S-D55	P16S-D55	P20S-D55	P3S-D55	P5S-D55
	415V	Dual Pumps	Dual Pump	-	P7D-D55	P12D-D55	P16D-D55	P20D-D55	P3D-D55	P5D-D55

ACCESS COVER OPTIONS

Pump Stations are supplied standard with Poly Pedestrian Access Covers unless requested otherwise. Add the following (CB), (CD), (GB) or (GD) to the end of the code for other Access Options. E.G. P7D-V55(CB)

CB	Class B Access Cover	CD	Class D Access Cover	Other classes available
GB	Class B Access Grate	GD	Class D Access Grate	

CONFIGURATION

Pumps are supplied standard Freestanding unless requested otherwise. If Guide Rail Systems are required add (GR) to the end of the code.

CONTROLLERS

Varying Controller options available (Stainless Steel, SMS Alarms, BMS Systems, Inner Door Enclosures). Pump Stations are supplied standard with Outer Door Pump Controllers unless requested otherwise.

MORE OPTIONS AVAILABLE !

Ascento is able to manufacture a wide range of custom packaged pump stations to suit your exact project requirements.

- Larger pump well capacity
- Riser/s
- Larger pump
- Additional control functions
- Guiderail systems
- Different class access cover or grate
- Complete custom pump station packages available
- Simply send your project drawings, or list out the project requirements on an email to estimating@ascento.com.au

Alternatively, scan the QR code for our online form.

Wish to discuss the options with a consultant?
Phone **1800 807 604**

**SCAN FOR
ONLINE FORM**

