

MAINS WATE

APPLICATION:

_____ o¢

COMMERCIAL RAIN TO MAINS SYSTEM

RainPro rain to mains controllers are designed for industrial and commercial applications such as playing fields, golf courses and large commercial properties, where a 'high flow' system is required. Standard controllers for both heavy duty 1 phase 240Vac and 3 phase 415Vac pumps are available. Housed in a lockable metal enclosure, the RainPro Heavy Duty controllers are equipped with contactors and overloads compatible for pumps (1Ph or 3Ph) rated up to 18amps full load current.

FEATURES & BENEFITS

- Compatible with an entire range of high flow, low 'head loss' valves
- No pressure reducing valves
- No continuously actuated solenoid valves
- Test button provides change of system status, including pump and valve switching
- Indicator lights provide 'power' and 'valve' status information
- Pump protection feature If rain water is depleted, switching of pump output isolates power to pressure pump system
- Controller can be situated up to 50m from storage tank
- Ideal for industrial, commercial and/or domestic applications
- Available with tank level indicator lights on request
- Thermal/current overload protection of pumps
- Visual / audible alarms available
- SMS alert system available OVERFLOW

| CODE | DESCRIPTION | POWER | | CONNECTION | CABINET | VALVE |
|------|--|-------|----------|------------|--------------------|-------|
| | | VOLTS | AMPS | TYPE | MATERIAL | SIZE |
| 5507 | RainPro Controller Quick Plug with 40mm Solenoid Valve & 10m Float Switch | 240 | Up to 6 | Quick Plug | Polycarbonate | 40 |
| 5514 | RainPro Controller Quick Plug with 50mm Solenoid Valve & 10m Float Switch | 240 | Up to 6 | Quick Plug | Polycarbonate | 50 |
| 5545 | H/Duty Controller-for up to 18Amp with Float Switch with 25mm Solenoid Valve & 10m float switch - Advise Pump run Amps | 240 | Up to 18 | Hard Wired | Steel | 25 |
| 5606 | H/Duty Controller in Metal Cabinet - for up to 18Amp Single Phase 10m Float Switch with 40mm Solenoid Valve - Advise Pump run Amps | 240 | Up to 18 | Hard Wired | Steel | 40 |
| 5613 | H/Duty Controller in Metal Cabinet - for up to 18Amp Single Phase 10m Float Switch with 50mm Solenoid Valve - Advise Pump run Amps | 240 | Up to 18 | Hard Wired | Steel | 50 |
| 5620 | H/Duty Controller - Stainless Steel Enclosure-for up to 18Amp Single Phase 10m Float Switch w 50mm Solenoid Valve - Advise Pump run Amps | 240 | Up to 18 | Hard Wired | Stainless Steel | 50 |
| 5576 | RainPro H/Duty Controller in Metal Cabinet -for up to 18Amp-3Phase 10m Float Switch and WM 25mm Solenoid Valve - Advise Pump run Amps | 415 | Up to 18 | Hard Wired | Steel | 25 |
| 5637 | RainPro H/Duty Controller in Metal Cabinet -for up to 18Amp-3 Phase 10m Float Switch-with 40mm Solenoid Valve - Advise Pump run Amps | 415 | Up to 18 | Hard Wired | Steel | 40 |
| 5644 | RainPro H/Duty Controller in Stainless Steel Enclosure-for up to 18Amp-3 Phase 10m Float Switch-with 40mm Solenoid Valve - Advise Pump run Amps | 415 | Up to 18 | Hard Wired | Stainless Steel | 40 |
| 5651 | RainPro H/Duty Controller in Metal Cabinet -for up to 18Amp-3 Phase 10m Float Switch-with 50mm Solenoid Valve - Advise Pump run Amps | 415 | Up to 18 | Hard Wired | Steel | 50 |
| 5668 | RainPro H/Duty Controller in Stainless Steel Enclosure-for up to 18Amp-3 Phase 10m Float Switch- 50mm Solenoid Valve - Advise Pump run Amps | 415 | Up to 18 | Hard Wired | Stainless Steel | 50 |

RAIN WATER

Schematic drawing showing heavy duty controller

Supply