

## AMPHIBIOUS PUMP

### RSP SERIES



Amphibious Pumps unique design features make them durable and versatile. Portable clean water pumps suitable for submersible, semi-submersible and dry mount installations. Remove strainer and install check valve for a dry mount or self priming installation (80 & 100mm pumps)

#### APPLICATIONS


- Irrigation
- Rural water supply
- Waterscapes
- Water transfer
- Commercial water features
- Fish farms

#### FEATURES & BENEFITS

- Flow up to 43L/sec
- Max Head up to 30m
- Can connect multiple pumps in series for increased head
- Continuous rated
- Can be dry mounted with foot valve on suction
- Water cooled motor
- Thermal overload protection
- Manual operation
- Electrical Safety Approval to AS/NZS 60335.2.41

#### CONSTRUCTION

- Triple seal system (silicon)
- Stainless steel outer casing
- Water cooled motor
- Chrome steel impeller
- Ingress Protection IP68



CODE	MODEL	POWER 415V		MAXIMUM		SOLIDS HANDLING (MM)	CABLE LENGTH (M)	OUTLET		WEIGHT (KG)	SIZE L X W X H (MM)
		AMPS	P2 (kW)	FLOW (L/SEC)	HEAD (M)			MM	IN		
10310	RSP150	3.4	1.5	14.6	17	10	10	80	3"	36	235x235x466
10327	RSP220	4.9	2.2	16.5	22.5	10	10	80	3"	39	235x235x481
10334	RSP370	8.4	3.7	27.0	23	10	10	100	4"	44	235x235x511
10341	RSP550	11.1	5.5	33.2	29	10	10	100	4"	75	286x286x610
10358	RSP750	14.5	7.5	43.6	30	10	10	150	6"	81	286x286x610