



## MULTISTAGE SUBMERSIBLE **PRESSURE PUMP**

### TECHNICAL DATA


**MODEL: RSME68**  
**CODE: 21149**

**MAX HEAD 65M**  
**MAX FLOW 135L/MIN**  
**MOTOR POWER 1800W**  
**DISCHARGE 32MM**



# CHARACTERISTIC CURVE & PERFORMANCE DATA

SUBMERSIBLE MULTISTAGE RSME68




TYPE	Nominal Power (P2)		Input Power (P1)	Capacitor	Input Current	L/MIN													
	W	HP				W	μF	240V	0	20	40	60	80	100	120	140			
Single Phase																			
RSME68	1200	1.6	1800	40	8.5														

	L/MIN	0	20	40	60	80	100	120	140
HEAD (M)		65	63	57.7	51	42.5	32	18.8	-
EFFICIENCY		0	30	45	51	52	50	28	-

# DIMENSIONS & WEIGHT



SUBMERSIBLE MULTISTAGE RSME68

MODEL	DIMENSIONS (MM)										PACKING (MM)			WEIGHT (KG)
	A	B	C	D	E	F	G	Hø	I	J	L	W	H	
RSME68	348	168	130	62	24	569	32	127	649	127	140	140	670	15

Ascento Group reserves the right to make changes without prior notice