



JET TRANSFER PRESSURE PUMP ONLY

PRJ-E SERIES

The PRJ European Series of transfer pumps are of superior quality construction and efficiency giving real power savings to the owner. They are suitable for transfer of clean water for various applications. Quiet running and reliable, ideal for suburban areas. Suitable for Drinking Water - certified to AS/NZS4020 for use with potable water.

APPLICATIONS


- Domestic water supply
- Garden irrigation
- Clean water transfer
- Water storage tank pump sets

FEATURES & BENEFITS

- High suction lift capability - up to 6m
- Certified to AS/NZS4020 for use with potable water
- Superior Carbon Ceramic Mechanical Seal for durability
- Average Decibel Rating (PRJ80E: 80dB; PRJ100E: 90dB)
- Max Water Temperature - 60°C
- Max Ambient Temperature - 40°C
- Supplied with 1.5m power cable with Quick Plug for easy connection

CONSTRUCTION

- Technopolymer diffuser, jet & venturi
- Technopolymer Impeller: PRJ80E
Stainless Steel Impeller: PRJ100E
- Brass barrel union for high corrosion resistance and longevity
- Stainless Steel 304 Pump Body & Shaft for superior corrosion resistance
- Carbon Ceramic mechanical seals for reliability
- Ingress Protection IP44
- Insulation Class F



CODE	MODEL	POWER 240V			RATED		MAXIMUM		SUCTION LIFT (M)	NO. OF TAPS	AVG. DECIBEL RATING	INLET OUTLET		WEIGHT (KG)	SIZE L X W X H (MM)
		AMPS	P1 (kW)	P2 (kW)	FLOW (L/MIN)	HEAD (M)	FLOW (L/MIN)	HEAD (M)				MM	IN		
22061	PRJ80E.T	4.5	0.99	0.74	31	24	75	48	6	5-8	80dB	25	1"	10.1	400x180x210
22078	PRJ100E.T	5.2	1.11	0.88	43	35	86	50	6	7-12	90dB	25	1"	11.7	400x225x230